

Black Rhino™ Thermal Transfer Ribbons

Wax Thermal Transfer Ribbons

Wax/Resin Thermal Transfer Ribbons

Resin Thermal Transfer Ribbons

Near Edge Thermal Transfer

A wax product features our unique blend of waxes and resin combined in a smooth flowing ink at low print energy, giving uniform coverage, a special printhead protecting backcoat, and unique ink formulation for superior anti-static characteristics. The 205W produces crisp, dark and durable barcodes and text for a variety of label substrates.



Black Rhino™ Printer Supplies

Tech Specs

	Smudge Resistance	Scratch Resistance	Optical Density	Ink Melting Point
205W Economy Wax	A	A	> 1.80 Macbeth Scale	70° C (158° F)

Performance Characteristics:

Superior edge definition and print quality for crisp barcodes and text
High resolution printing at speeds up to 6-8 IPS (inches / second)
Prints on a wide variety of substrates
Halogen-free
Superb smudge and scratch resistance

Recommended Substrates:

Coated and uncoated paper label and tag stocks, synthetic papers, polyethylene films, polyolefin and polypropylene films

Recommended Applications:



Flexible Packaging



General



Inventory



Logistics



Pharmaceutical



Product ID



Retail



Shelf



Shipping



Signage

PRODUCT DISCLAIMER

Testing under end-user conditions is always recommended to ensure the selected ribbon formulation is suitable for specific application requirements.