

Black Rhino™ Thermal Transfer Ribbons

Wax Thermal Transfer Ribbons

Wax/Resin Thermal Transfer Ribbons

Resin Thermal Transfer Ribbons

Near Edge Thermal Transfer

Black Rhino™ 425M Thermal Transfer Wax/Resin Ribbon

This wax/resin ribbon is excellent for a large variety of extreme applications. Its smudge proof properties and edge definition come together to create excellent barcode scannability. The 425M is versatile and can print at a wide range of print speeds without sacrificing sharp, clean and reliable print quality.



Black Rhino™ Printer Supplies

Tech Specs

	Smudge Resistance	Scratch Resistance	Optical Density	Ink Melting Point
425M Premium Wax / Resin	A	A	> 1.70	87° C (189° F)

Performance Characteristics:

Superior edge definition and print quality for crisp barcodes, text and image
High resolution printing and barcode scannability at a variety of print speeds
Extremely versatile and ideal for coated/uncoated paper labels and tags, varnished stocks & films
Dissipates static for easy handling and extended printhead life
Superior smudge and chemical resistance
Halogen-free

Recommended Substrates:

Gloss paper, coated/uncoated paper labels and tags, polyethylene, polypropylene, polyolefin, topcoated vinyl, Tyvek® and Tyvek Brillion®

Recommended Applications:



Agency



General



Logistics



Retail



Shipping



Signage



Flexible Packaging



Shelf



Medical Devices



Healthcare



Parts Packaging



Outdoor



Asset Tracking



Horticulture



Product ID



Inventory



Pharmaceutical

PRODUCT DISCLAIMER

Testing under end-user conditions is always recommended to ensure the selected ribbon formulation is suitable for specific application requirements.